



CyberLock®

Product List September 1, 2011

Contact Videx for pricing or for the name of an Access Partner that can help you.

STANDARD CYLINDERS

| | |
|--------------|---|
| CL-6P1 | 6-pin, Schlage® format |
| CL-6P3WR | 6-pin, Schlage format, weather-resistant, designed for padlocks |
| CL-C1N | Cam, 3/4" diameter, 3/8" tenon, multiple actions, straight latch |
| CL-C6N | Cam, 3/4" diameter, 1/4" tenon, 90° & 180° actions, multiple latches |
| CL-ES2 | Electronic switch with relay, 2.5" diameter plate (Different plate sizes upon request) |
| CL-M2 | Mortise, 1.125" (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze) |
| CL-M4 | Mortise, 1.25" (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze) |
| CL-R1 | Rim, U.S. standard (Finish choices: bright chrome, brushed chrome, bright brass, dark bronze) |
| CL-LF01 | Large format interchangeable core, Schlage format |
| CL-SF03 | Small format interchangeable core, Best format, 7-pin |
| CL-SF03-A | Small format interchangeable core, Best format, 7-pin, built-in driver |
| CL-OVL | Scandinavian oval |
| CL-OVLWR | Scandinavian oval, weather-resistant with cover |
| CL-PD3030 | Profile, double, 30mm outside/30mm inside |
| CL-PD3535 | Profile, double, 35mm outside/35mm inside |
| CL-PD4545 | Profile, double, 45mm outside/45mm inside |
| CL-PD6030 | Profile, double, 60mm outside/30mm inside |
| CL-PH30 | Profile, half, 30mm |
| CL-PH30T | Profile, half, 30mm true |
| CL-PH32.5C | Profile, half, 32.5mm, with cover |
| CL-PH35 | Profile, half, 35mm |
| CL-PH37C | Profile, half, 37mm, with cover |
| CL-PH40 | Profile, half, 40mm |
| CL-PH42C | Profile, half, 42mm, with cover |
| CL-PH45 | Profile, half, 45mm |
| CL-PH55 | Profile, half, 55mm |
| CL-PH65C | Profile, half, 65mm, with cover |
| CL-PH80 | Profile, half, 80mm |
| CL-PH80C | Profile, half, 80mm, with cover |
| CL-PK3030 | Profile, knob, 30mm outside/30mm inside |
| CL-PK32.530C | Profile, knob, 32.5mm outside/30mm inside, with cover |
| CL-PK3535 | Profile, knob, 35mm outside/35mm inside |
| CL-PK3550 | Profile, knob, 35mm outside/50mm inside |
| CL-PK3735C | Profile, knob, 37mm outside/35mm inside, with cover |
| CL-PK4030 | Profile, knob, 40mm outside/30mm inside |
| CL-PK4030C | Profile, knob, 40mm outside/30mm inside, with cover |
| CL-PK5030 | Profile, knob, 50mm outside/30mm inside |
| CL-PK5050 | Profile, knob, 50mm outside/50mm inside |
| CL-PK6030 | Profile, knob, 60mm outside/30mm inside |
| CL-PK7030 | Profile, knob, 70mm outside/30mm inside |
| CL-S02 | Switch lock, .75" cam-style, on/off |
| CL-SM2 | Switch lock, .75" cam-style, momentary |
| CLT-570 | Australian 570 oval, tamper plug |

VENDING CYLINDERS

| | |
|---------|--|
| CLT-T6H | Dual-action, back install, tamper plug |
| CLT-T7H | Spring latch, front install, tamper plug |

STANDARD PADLOCKS CyberLock cylinder installed

| | |
|---------|--|
| PL-01 | Brass, 1" x 3/8" diameter stainless steel shackle |
| PL-01KR | Brass, 1" x 3/8" diameter stainless steel shackle, key retaining |
| PL-02 | Brass, 2" x 3/8" diameter stainless steel shackle |
| PL-02KR | Brass, 2" x 3/8" diameter stainless steel shackle, key retaining |
| PL-03 | Brass, 3" x 3/8" diameter stainless steel shackle |
| PL-03KR | Brass, 3" x 3/8" diameter stainless steel shackle, key retaining |

CUSTOM PADLOCKS Minimum order quantity and set-up fee may be required

| | |
|-----------|---|
| PL-01-A | Brass, 1" x 5/16" diameter stainless steel shackle |
| PL-01KR-A | Brass, 1" x 5/16" diameter stainless steel shackle, key retaining |
| PL-02-A | Brass, 2" x 5/16" diameter stainless steel shackle |
| PL-02KR-A | Brass, 2" x 5/16" diameter stainless steel shackle, key retaining |
| PL-03-A | Brass, 3" x 5/16" diameter stainless steel shackle |
| PL-03KR-A | Brass, 3" x 5/16" diameter stainless steel shackle, key retaining |
| PL-BB45 | Padlock, barbell format, 45mm shackle |
| PL-HP1 | High-security padlock, hockey puck format, stainless steel body |

| CUSTOM CYLINDERS Minimum order quantity and set-up fee may be required | |
|--|---|
| CL-6P2 | 6-pin, Yale® 1801 hardware format |
| CL-7P1 | 7-pin, Yale 1802A hardware format |
| CL-C2N | Cam, 3/4" diameter, 3/8" tenon, 95°-210° or 30°-180° action, straight latch |
| CL-C3N | Cam, 3/4" diameter, 3/8" tenon, 90° action, spring hook latch |
| CL-C5N | Cam, 3/4" diameter, 9/32" tenon, 90° action, no latch |
| CL-C6NF | Cam, 3/4" diameter, fully threaded body, 1/4" tenon, 90° & 180° actions, multiple latches |
| CL-C7N | Cam, 22mm diameter, 10mm tenon, no latch or nuts |
| CL-C8N | Cam, 3/4" diameter, 3/8" tenon, 90° action, latch spacer, no latch |
| CL-C9N | Cam, 19mm diameter, 7mm tenon, 90° action, no latch or nuts |
| CL-C10N | Cam, 3/4" diameter, 5/16" tenon, no latch |
| CL-C11ND | Cam, 22mm diameter, 11mm tenon, 90° action, no latch or nuts, drill resistant |
| CL-C12N | Cam, 22mm diameter, 1/4" tenon, 90° action, multiple latches |
| CL-C13N | Cam, 22mm diameter, 11mm tenon, 90° action, no latch |
| CL-CA | Cabinet lock, 22mm diameter, weather-resistant |
| CL-CA2D | Cabinet lock, 22mm diameter, drill resistant |
| CL-CB | Cam, 23mm diameter, 7mm tenon, no latch or nuts |
| CL-FK4141R | Fichet compatible, removable knob, 41mm outside/41mm inside |
| CL-IKC | Cam, Euro round, 1.175" diameter |
| CL-IPS01 | 32mm IPS cam |
| CL-IPS02 | 30mm IPS TE cam |
| CL-IPS03 | 40mm IPS TE cam |
| CL-KB1 | Knob Block |
| CL-M2C | Mortise, 1.125", with cover |
| CL-M4C | Mortise, 1.25", with cover |
| CL-MIWA-BH | CyberLock, MIWA Format, BH Version |
| CL-MIWA-LA | CyberLock, MIWA Format, LA Version |
| CL-OK3535 | Oval with knob, 35mm outside/35mm inside |
| CL-OVLD | Scandinavian oval, drill-resistant |
| CL-OVLI | Scandinavian oval, interior installation |
| CL-PDFR4045 | Profile, double, free-rotating, 40mm/45mm interchangeable |
| CL-PEM3030 | Profile, 30mm outside electronic/30mm inside mechanical |
| CL-PEM4040 | Profile, 40mm outside electronic/40mm inside mechanical |
| CL-PHS32.5XD | Profile, high-security, half, 32.5mm, enhanced drill-resistance |
| CL-PHS36 | Profile, high-security, half, 36mm |
| CL-PKS3635 | Profile, high-security, knob, 36mm outside/35mm inside |
| CL-PKS6030R | Profile, high-security, removable knob, 60mm outside/30mm inside |
| CL-PL3WRD | Cylinder for Squire padlock, drill- and weather-resistant |
| CL-PM1D | Parking meter, double D tenon, drill-resistant |
| CL-PM2D | Parking meter, round tenon, drill-resistant |
| CL-R2 | Rim, 36.3mm diameter, 24.6mm long |
| CL-RK29 | Ruko 29mm |
| CL-RK29C | Ruko 29mm, with cover |
| CL-RND29 | Round 29mm |
| CL-RND29WR | Round 29mm, weather-resistant with cover |
| CL-RP1 | Removable plug cylinder |
| CL-RWR | Weather-resistant rim with cover, 28mm diameter, 34mm long |
| CL-SH32 | Swiss round half, 32mm |
| CL-SK3232 | Swiss round knob, 32mm outside/32mm inside |
| CL-SK3232R | Swiss round, removable knob, 32mm outside/32mm inside |
| CL-TC1 | Traffic cabinet lock |
| CL-TEL | Telephone cash box |
| CLT-530 | Australian 530 format, tamper plug |
| CLT-PL4WR | Cylinder for Lockwood padlock, weather resistant, tamper plug |
| SAFE LOCKS Sold through approved Safe Partners | |
| SL-DB1 | Safe lock, deadbolt latch |
| SL-DB1KR | Safe lock, deadbolt latch, key retaining |
| SL-SP1 | Safe lock, spring latch |
| SL-SW1 | Safe lock, swing latch |
| SL-KS1 | Keypad activation switch, La Gard |
| SL-KS2 | Keypad activation switch, S & G |
| TD-01 | Safe lock time delay, retrofit |
| TD-M01 | Time delay mounting kit |

| CYBERKEYS | |
|-----------------------|--|
| CK-IR7 | User key, infrared, replaceable battery, replaceable tip |
| CK-IR7-ROHS | User key, infrared, replaceable battery, replaceable tip, ROHS compliant |
| CK-IR7C | Control key for CL-LF01 and CL-SF03 only, replaceable battery |
| CK-RBT | User key, Bluetooth, infrared, rechargeable battery, replaceable tip |
| CK-RXD | User key, infrared, rechargeable battery, replaceable case |
| RECHARGING STATIONS | |
| CKS-010 | 1-key charging station, 120v, 60Hz |
| CKS-F10 | 1-key charging station, 220v, 50Hz |
| CKS-016 | 6-key charging station, 120v, 60Hz |
| CKS-F16 | 6-key charging station, 220v, 50Hz |
| COMMUNICATORS | |
| CK-GM | Grand Master |
| CKB-IR1 | IR Encoder |
| CKS-020 | USB Station with USB cable (Also recharges rechargeable batteries) |
| CKS-030 | WebStation, 120v, 60Hz (Also recharges rechargeable batteries) |
| CKS-F30 | WebStation, 220v, 50Hz (Also recharges rechargeable batteries) |
| CLP-100 | USB Programmer with software |
| AH-W1 | Authorizer hub, web, 120v, 60Hz |
| AH-W2 | Authorizer hub, web, 220v, 50Hz |
| AK-01 | Authorizer keyport, indoor/outdoor installation, 1 x 8 display, keypad |
| MK-01 | Authorizer Mini keyport, indoor/outdoor installation |
| MK-01B | Authorizer Mini keyport, indoor/outdoor, blank label |
| CYBERKEY VAULTS | |
| CKV-001 | CyberKey Vault, 1-key capacity, 120v, 60Hz |
| CKV-F01 | CyberKey Vault, 1-key capacity, 220v, 50Hz |
| CKV-020 | CyberKey Vault, 20-key capacity, 120-220v, 50-60Hz |
| CKV-M20 | CyberKey Vault, metal door, 20-key capacity, 120-220v, 50-60Hz |
| CKV-C1 | Vault 20 cable for Europe |
| CKV-C2 | Vault 20 cable for Australia |
| RFB-001 | RFID card reader, USB connection |
| RFC-010 | RFID card, 13.56 MHz, pack of 10 |
| CYBERLOCK FLEX SYSTEM | |
| FLEX SYSTEM HUB | |
| FS-SH01 | Flex System Hub, 8 input/output ports |
| INPUT MODULES | |
| FS-DS01 | Display module (required for knob module; optional for RFID module) |
| FS-KB01 | Data entry knob module (display module required) |
| FS-RH01 | High-frequency RFID module (display module optional) |
| OUTPUT MODULES | |
| FS-CV01 | CyberKey® weatherized vault module |
| FS-DC01 | Door & I/O module |
| CYBERPOINTS | |
| CP-05 | CyberPoint, a non-locking version of CyberLock, used for data recording at checkpoints |
| ACCESSORIES | |
| A-CC375 | Collar for 3/4" diameter cams, .375" length |
| AK-BOX | Mounting box for Authorizer keyport |
| A-U120 | USB Station transformer, 120v, 60Hz |
| A-U220 | USB Station transformer, 120v, 60Hz |
| BRUSH | Lock and key pin cleaning brush, stainless steel bristles |
| CK-BAT | Battery for keys with replaceable batteries |
| CK-CAP | Key tip cap |
| TIP-001 | Replaceable tip for CK-IR7 and CK-RBT |
| TIP-004 | Replaceable case for CK-RCG |
| TIP-008 | Replaceable case for CK-RXD |
| HDP237 | End cap for CK-RCG/RXD, black |

| CYBERAUDIT-WEB SOFTWARE | |
|--|---|
| CAL-100 | CyberAudit®-Web Lite |
| CAP-100 | CyberAudit-Web Professional |
| ENTERPRISE | CyberAudit-Web Enterprise |
| CAW-M01 | Location graphics software module, Enterprise |
| SERVICE ITEMS FOR CUSTOMERS USING WINDOWS VERSION OF PROFESSIONAL, CAS-100 | |
| CK-P7 | CyberLock Programmer, infrared |
| CK-USB | USB Programmer, includes USB software. |
| CKB-002 | CyberKey base station, 120v, 60Hz |
| CKB-F02 | CyberKey base station, 220v, 50Hz |
| TWC-008 | 9-pin cable, base station to PC serial port |
| AS-100 | Authorizer software |



1105 N.E. Circle Blvd., Corvallis, OR 97330
 541-738-5500 • Fax 541-738-5501 • www.videx.com • sales@videx.com

Videx, CyberLock, the CyberLock logo, CyberKey, CyberAudit, Authorizer, CyberPoint and other marks are trademarks or registered trademarks of Videx, Inc.
 All other trademarks, service marks, and product or service names are trademarks or registered trademarks of their respective owners. GCO2981